

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 24.10.2017

Version number 3

Revision: 24.10.2017

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1 Product identifier
- Trade name: **KEMPERDUR TC Traffic coating (A)**
- 1.2 Relevant identified uses of the substance or mixture and uses advised against
 - Identified use: intended for professional use only!
- Application of the substance / the mixture
 - Coating
- 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier: **KEMPER SYSTEM GmbH & Co. KG**
 - Holländische Strasse 32-36
 - 34246 Vellmar
 - Deutschland / Germany
 - Telefon: +49 (0)561 / 8295-0
 - Telefax: +49 (0)561 / 8295-5110
 - E-Mail: MSDS@KEMPER-SYSTEM.COM
- Further information obtainable from: **Research and Development**
- 1.4 Emergency telephone number: **Giftinformationszentrum der Länder Rheinland-Pfalz und Hessen**
 - Langenbeckstraße 1; Gebäude 601; 55131 Mainz
 - Tel. Nr.: +49 (0)6131 / 19 24 0
 - Universitätsmedizin der Johannes Gutenberg-Universität Mainz

SECTION 2: Hazards identification

- 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008
 - The product is not classified according to the CLP regulation.
- 2.2 Label elements
- Labelling according to Regulation (EC) No 1272/2008
 - Void
- Hazard pictograms
 - Void
- Signal word
 - Void
- Hazard statements
 - Void
- 2.3 Other hazards
- Results of PBT and vPvB assessment
- PBT:
 - Not applicable.
- vPvB:
 - Not applicable.

SECTION 3: Composition/information on ingredients

- 3.2 Chemical characterisation: Mixtures
- Description: **Mixture of substances listed below with nonhazardous additions.**

- Dangerous components:

CAS: 7727-43-7	barium sulphate, natural	substance with a Community workplace exposure limit	12.5-25%
EINECS: 231-784-4			
Reg.nr.: 01-2119491274-35			

- Additional information: **For the wording of the listed hazard phrases refer to section 16.**

SECTION 4: First aid measures

- 4.1 Description of first aid measures
- General information: **Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.**
 - Immediately remove any clothing soiled by the product.
 - Do not leave affected persons unattended.
 - Personal protection for the First Aider.
 - Take affected persons out of danger area and lay down.
- After inhalation: **In case of unconsciousness place patient stably in side position for transportation.**
 - Supply fresh air; consult doctor in case of complaints.
- After skin contact: **Immediately wash with water and soap and rinse thoroughly.**
 - Seek medical treatment in case of complaints.
- After eye contact: **Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.**
 - Protect unharmed eye.
- After swallowing: **If symptoms persist consult doctor.**
- 4.2 Most important symptoms and effects, both acute and delayed
 - No further relevant information available.

(Contd. on page 2)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 24.10.2017

Version number 3

Revision: 24.10.2017

Trade name: **KEMPERDUR TC Traffic coating (A)**

- 4.3 Indication of any immediate medical attention and special treatment needed
No further relevant information available.

(Contd. of page 1)

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents: CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Use fire extinguishing methods suitable to surrounding conditions.
- 5.2 Special hazards arising from the substance or mixture: Formation of toxic gases is possible during heating or in case of fire.
- 5.3 Advice for firefighters
- Protective equipment: Do not inhale explosion gases or combustion gases.
- Additional information: Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures: Wear protective equipment. Keep unprotected persons away. Avoid contact with skin and eyes
- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water. Prevent from spreading (e.g. by damming-in or oil barriers). In case of seepage into the ground inform responsible authorities.
- 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Do not flush with water or aqueous cleansing agents
- 6.4 Reference to other sections: See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling: Store in cool, dry place in tightly closed receptacles. Ensure good ventilation/exhaustion at the workplace.
- 7.2 Conditions for safe storage, including any incompatibilities
- Storage:
 - Requirements to be met by storerooms and receptacles: Store only in the original receptacle.
 - Information about storage in one common storage facility: Store away from foodstuffs.
 - Further information about storage conditions: Store in dry conditions. Protect from frost. Keep container tightly sealed. Recommended storage temperature: 10-30 °C
- Storage class: 12
- 7.3 Specific end use(s): No further relevant information available.

SECTION 8: Exposure controls/personal protection

- Additional information about design of technical facilities: No further data; see item 7.
- 8.1 Control parameters

- Ingredients with limit values that require monitoring at the workplace:

7727-43-7 barium sulphate, natural

WEL	Long-term value: 10* 4** mg/m ³ *inhalable dust **respirable dust
-----	---

- Additional information: The lists valid during the making were used as basis.
- 8.2 Exposure controls
- Personal protective equipment:
- General protective and hygienic measures: The usual precautionary measures are to be adhered to when handling chemicals. Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin.

(Contd. on page 3)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 24.10.2017

Version number 3

Revision: 24.10.2017

Trade name: **KEMPERDUR TC Traffic coating (A)**

(Contd. of page 2)

- Respiratory protection:

When used properly and under normal conditions, breathing protection is not required.
Use suitable respiratory protective device in case of insufficient ventilation.
Filter A/P2
Respiratory protection - Gas filters and combination filters according to EN 141

- Protection of hands:



Protective gloves

Check protective gloves prior to each use for their proper condition.
Only use chemical-protective gloves with CE-labelling of category III.
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
After use of gloves apply skin-cleaning agents and skin cosmetics.

- Material of gloves

Recommended materials:
Butyl rubber, BR
Recommended thickness of the material: ≥ 0.5 mm
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

- Penetration time of glove material

The determined penetration times according to EN 374 part III are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

- As protection from splashes gloves made of the following materials are suitable:

Nitrile rubber, NBR
Recommended thickness of the material: ≥ 0.1 mm
Penetration time (min.): <10

- Eye protection:



Tightly sealed goggles

Protective goggles and facial protection - Classification according to EN 166

- Body protection:

Protective work clothing
Impervious protective clothing

SECTION 9: Physical and chemical properties

- 9.1 Information on basic physical and chemical properties

- General Information

- Appearance:

Form: Fluid
Colour: According to product specification
- Odour: Characteristic
- Odour threshold: Not determined.

- pH-value: Not determined.

- Change in condition

Melting point/freezing point: Undetermined.
Initial boiling point and boiling range: Undetermined.

- Flash point: 255 °C

- Flammability (solid, gas): Not applicable.

- Ignition temperature:

Decomposition temperature: Not determined.

- Auto-ignition temperature: Product is not selfigniting.

- Explosive properties: Product does not present an explosion hazard.

- Explosion limits:

Lower: Not determined.
Upper: Not determined.

- Density at 20 °C: 1.15 g/cm³

- Relative density Not determined.

- Vapour density Not determined.

(Contd. on page 4)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 24.10.2017

Version number 3

Revision: 24.10.2017

Trade name: **KEMPERDUR TC Traffic coating (A)**

(Contd. of page 3)

- Evaporation rate	Not determined.
- Solubility in / Miscibility with water:	Not miscible or difficult to mix.
- Partition coefficient: n-octanol/water:	Not determined.
- Viscosity: Dynamic at 23 °C: Kinematic:	1500 mPas Not determined.
- Solvent content: VOC (EC)	2.50 %
- 9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

- 10.1 Reactivity	No further relevant information available.
- 10.2 Chemical stability	
- Thermal decomposition / conditions to be avoided:	No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions	No dangerous reactions known.
- 10.4 Conditions to avoid	No further relevant information available.
- 10.5 Incompatible materials:	No further relevant information available.
- 10.6 Hazardous decomposition products:	No dangerous decomposition products known.

SECTION 11: Toxicological information

- 11.1 Information on toxicological effects	
- Acute toxicity	Based on available data, the classification criteria are not met.

- LD/LC50 values relevant for classification:

7727-43-7 barium sulphate, natural

Oral	LD50	>15,000 mg/kg (rat)
Dermal	LD50	>2,000 mg/kg (rat)

- Primary irritant effect:	
- Skin corrosion/irritation	Based on available data, the classification criteria are not met.
- Serious eye damage/irritation	Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation	Based on available data, the classification criteria are not met.
- CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)	
- Germ cell mutagenicity	Based on available data, the classification criteria are not met.
- Carcinogenicity	Based on available data, the classification criteria are not met.
- Reproductive toxicity	Based on available data, the classification criteria are not met.
- STOT-single exposure	Based on available data, the classification criteria are not met.
- STOT-repeated exposure	Based on available data, the classification criteria are not met.
- Aspiration hazard	Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- 12.1 Toxicity

- Aquatic toxicity:

7727-43-7 barium sulphate, natural

EC50 | 32 mg/l (Daphnia magna) (Ba-Ion; 48 h)

- 12.2 Persistence and degradability	No further relevant information available.
- 12.3 Bioaccumulative potential	No further relevant information available.
- 12.4 Mobility in soil	No further relevant information available.
- Additional ecological information:	
- General notes:	Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- 12.5 Results of PBT and vPvB assessment	
- PBT:	Not applicable.
- vPvB:	Not applicable.

(Contd. on page 5)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 24.10.2017

Version number 3

Revision: 24.10.2017

Trade name: **KEMPERDUR TC Traffic coating (A)**

- 12.6 Other adverse effects

No further relevant information available.

(Contd. of page 4)

SECTION 13: Disposal considerations

- 13.1 Waste treatment methods

- Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Disposal according to official regulations

- European waste catalogue

08 04 09* waste adhesives and sealants containing organic solvents or other hazardous substances

08 04 10 waste adhesives and sealants other than those mentioned in 08 04 09

- Uncleaned packaging:

- Recommendation:

Disposal must be made according to official regulations.

SECTION 14: Transport information

- 14.1 UN-Number

- ADR, ADN, IMDG, IATA

Void

- 14.2 UN proper shipping name

- ADR, ADN, IMDG, IATA

Void

- 14.3 Transport hazard class(es)

- ADR, ADN, IMDG, IATA

- Class

Void

- 14.4 Packing group

- ADR, IMDG, IATA

Void

- 14.5 Environmental hazards:

- Marine pollutant:

No

- 14.6 Special precautions for user

Not applicable.

- 14.7 Transport in bulk according to Annex II of Marpol and the IBC

Code

Not applicable.

- UN "Model Regulation":

Void

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- Directive 2012/18/EU

- Named dangerous substances - ANNEX I

None of the ingredients is listed.

- 15.2 Chemical safety assessment:

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Department issuing SDS:

research & development

- Contact:

research & development

- Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
 IMDG: International Maritime Code for Dangerous Goods
 IATA: International Air Transport Association
 GHS: Globally Harmonised System of Classification and Labelling of Chemicals
 EINECS: European Inventory of Existing Commercial Chemical Substances
 ELINCS: European List of Notified Chemical Substances
 CAS: Chemical Abstracts Service (division of the American Chemical Society)
 VOC: Volatile Organic Compounds (USA, EU)
 LC50: Lethal concentration, 50 percent
 LD50: Lethal dose, 50 percent
 PBT: Persistent, Bioaccumulative and Toxic
 vPvB: very Persistent and very Bioaccumulative

- Sources

(Contd. on page 6)

EN

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 24.10.2017

Version number 3

Revision: 24.10.2017

Trade name: **KEMPERDUR TC Traffic coating (A)**

(Contd. of page 5)

Internet:

- www.echa.com
- www.baua.de
- www.gestis.itrust.de (IFA: Institute für Occupational Safety and Health of the German Social Accident Insurance)

- * Data compared to the previous version altered.

EN